

SUPPLEMENT TO

The Gazette



of India

No. 8]

NEW DELHI, SATURDAY, FEBRUARY 10, 1951

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th January, 1951

CHOLERA						SMALLPOX						PLAGUE						CHOLERA						SMALLPOX						PLAGUE					
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
ATES PARTS (A) & (C)												Bihar—contd																							
Ajmer												Manbhum																							
TOTAL			15		9			5		3		43		5								
(Estd. mid-year pop. 240 thousands)												Palamau																							
Total for w/e 6-1-51.												Singhbhum																							
Total for w/e 30-12-50.												TOTAL																							
7-yearly mean for the week.												(Estd. mid-year pop. 37,690 thousands).																							
Assam												Total for w/e 6-1-51.																							
Cachar												Total for w/e 30-12-50.																							
Khasi and Jaintia Hills												7-yearly mean for the week.																							
Naga Hills												Bombay																							
Goalpara												Bombay																							
Kamrup												Ahmedabad																							
Darrang												Kaira																							
Nowgong												Broach																							
Sibsagar												Panch Mahals																							
Lakhimpur												Surat																							
Sadiya & Frontier Tracts												Thana																							
Garó Hills												Bombay Suburbans																							
TOTAL												Ahmednagar																							
(Estd. mid-year pop. 7,611 thousands).												East Khandesh																							
Total for w/e 6-1-51												West Khandesh																							
Total for w/e 30-12-50												Amreli																							
7-yearly mean for the week												Nasik																							
3 1 10 4												Poona																							
Bhopal												Satara North																							
TOTAL												Satara South																							
(Estd. mid-year pop. 831 thousands)												Sholapur																							
Total for w/e 6-1-51												Sabarkantha																							
Total for w/e 30-12-50												Belgaum																							
7-yearly mean for the week												Bijapur																							
Bihar												Dharwar																							
Patna												Kanara																							
Gaya												Ratnagiri																							
Shahabad												Kolaba																							
Saran												Kolhapur																							
Champaran												Baroda																							
Muzaffarpur												Navsari																							
Darbhanga												Dangs																							
Monghyr												Malwan																							
Bhagalpur												Mehsana																							
Saharsa												TOTAL																							
Purnea												(Estd. mid-year pop. 26,071 thousands).																							
Santal Parganas												Total for w/e 6-1-51																							
Hazaribagh												Total for w/e 30-12-50.																							
Ranchi												7-yearly mean for the week.																							

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 13th January, 1951—contd.

CHOLERA							SMALLPOX							PLAGUE													
C.							D.							C.							D.						
Punjab (I)														Uttar Pradesh—contd													
Hissar							8							Banaras							8						
Rohtak														Mirzapur							24	4	5	1			
Gurgaon														Jaunpur							37						
Karnal														Ghazipur								1					
Ambala														Ballia													
Simla														Gorakhpur							4	1	22	10			
Kangra														Deoria							6	2	13	8			
Hoshiarpur														Beetl							9	2	13	5			
Jullundur														Azamgarh							27	3					
Ludhiana														Nainital													
Ferozepore							4							Almora													
Amritsar														Garchwal							1						
Gurdaspur														Lucknow									2	1			
TOTAL							12							Unao							11	2	6	5			
(Estd. mid-year pop. 14,890 thousands)														Rae Bareilly							21	12					
Total for w/e 6-1-51							11	2						Sitapur							2		14	5			
Total for w/e 30-12-50							5							Hardoi									1	1			
7-yearly mean for the week							61	18	6	2				Kheri													
														Faizabad							1						
														Gonda							19	8	25	9			
														Bahraich							2						
														Sultanpur										6	3		
														Partapgarh										4	4		
														Barabanki													
														Rampur													
														TOTAL							225	55	128	50			
														(Estd. mid-year pop. 59,132 thousands)													
														Total for w/e 6-1-51							207	58	124	54			
														Total for w/e 30-12-50							98	19	80	33			
														7-yearly mean for the week							1	1	252	66	245	131	

Explanation of symbols used:— C.—Cases; D.—Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 13th January, 1951.—*conold.*

CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.			
STATES PART (B)																							
Hyderabad																							
Aurangabad								
Parbhani	14	8	2	1								
Bhir								
Gulberga	.	.	.	6	4	7	1								
Raleghur	.	.	.	4	3	4	2								
Bidar	4	3	5	3								
Osmansabad	4	2	4	1								
Warangal	17	4								
Karimnagar	1								
Adilabad								
Nizamabad	10	3								
Medak	8	2	6								
Nalgonda	25	9								
Mahbubnagar	11	2								
Hyderabad	.	.	.	1	.	.	9	.	8	1								
TOTAL	.	.	.	11	7	114	36	25	6								
Jammu & Kashmir																							
Return not received.																							
Madhya Bharat																							
Bhind	3								
Bhilsa	4	3								
Gird	11	5								
Indore								
Jhabua								
Morena								
Mandsaur								
Nimar								
Ratlam								
Shivpuri	26	10								
TOTAL	44	18								

CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.			
Mysore																							
Return not received.																							
PEPSU																							
Return not received																							
Rajasthan																							
Bikaner	52	6	.	.	.								
Former-Matsya	*	4	.	.	.								
Former-Rajasthan	9	3	.	.	.								
Japur	8	1	.	.	.								
Jodhpur								
TOTAL	69	14	.	.	.								
Saurashtra																							
Sorath	9								
TOTAL	9								
Travancore-Cochin																							
TOTAL	.	.	.	107	52	63	9								
Grand total for States Part (B)																							
Grand total for States Parts (A), (B) & (C).																							
2,530 1,407 5,989 1,633 349 120																							
TYPHUS																							
During the week, one case of typhus was reported from Bombay City.																							
POLIOMYELITIS																							
(Information based on patients treated in towns).																							
Place								Period															
Utter Pradesh								16-31Dec. 1950															
Madras								Dec. 1950															

Explanation of symbols used.— C—Cases ; D—Deaths

Explanation of symbols used.—C—Cases; D—Deaths

*Not available.

New Delhi 3 (INDIA);

The 5th February, 1951

S. P. JAIN.

for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 13th January, 1951.

Town		Mid-1951 Popn-Est. (000)	Deaths from :—											Total	D.R.*	I.D.
			B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES—(Parts A and C)																
Ajmer																
Ajmer	.	176	164	48.5	..	9	..	10	..	25	10	70	20.7	10		
Beawar	.	45	43	49.7	12	1	1	..	20	23.1	3		
TOTAL	.	221	207	48.7	..	9	..	22	1	26	10	90	21.2	13		
Assam																
Return not received.																
Bihar																
Return not received.																
Bombay																
Ahmedabad	.	882	658	38.6	..	3	..	155	8	47	1	338	19.0	102		
Ahmednagar.	.	77	46	35.7	2	1	5	1	19	14.8	3		
Amalner	.	46	20	22.6	9	9	10.2	1		
Bandra†	.	102	33	62.8	38	3	8	1	79	21.4	19		
Baroda	40.9	7	1	3	..	22	27.2	8		
Barshi		
Belgaum	.	..	96	63.2	4	3	7	..	34	22.4	5		
Bhamburda	.	..	33	67.0	..	1	..	2	1	2	..	8	9.4	1		
Bijapur	.	..	26	23.3	3	..	4	..	18	16.1	1		
Bombay	.	1,820	1,334	32.6	..	4	..	3	17	144	..	630	17.9	199		
Boroch	.	7	32	42.0	10	7	1	..	23	15.3	9		
Bombay	.	8	30	41.0	7	9	12.3	..		
Dharwad	.	..	21	38.8	1	2	..	1	19	18.0	1		
Dhule	.	..	45	34.9	11	1	7	2	27	20.9	4		
Gadag-Betgeri	.	6	30	23.3	5	1	7	1	24	18.6	6		
Godhra	.	4	36	38.2	2	3	3.2	1		
Hubli	.	101	64	30.8	2	1	4	..	21	10.1	6		
Jaipur	.	86	26	21.5	7	12	10.7	6		
Kolhapur	.	37	30	42.2	3	..	3	..	12	16.9	..		
Kolhapur	.	117	107	47.6	8	..	4	..	42	18.7	7		
Miraj	.	41	41	52.0	4	1	1	..	7	8.9	3		
Miraj	.	39	24	32.0	4	..	6	..	20	24.7	..		
Nadiad	.	59	53	46.7	14	1	23	20.3	2		
Nasik	.	59	43	37.9	5	2	7	..	27	38.6	8		
Navsari	.	47	32	35.4	12	1	18	19.9	1		
Pandharpur	.	37	32	45.0	3	..	7	..	19	26.7	7		
Parle Andheri†		
Patan	.	43	44	58.2	15	1	5	1	30	36.3	7		
Poona	.	319	265	43.2	5	3	36	1	146	23.8	45		
Sangli	.	40	22	28.6	3	..	2	1	11	14.3	2		
Satara	.	41	27	34.2	3	1	2	..	20	25.4	1		
Sholapur	.	274	186	35.3	12	2	41	2	115	21.8	31		
Surat	.	246	150	31.8	12	2	22	..	77	16.3	21		
TOTAL	.	5,164	3,895	39.2	..	8	..	371	58	375	13	1,868	18.8	507		
Delhi State																
Delhi City	.	702	535	39.6	41	4	44	..	131	9.7	39		
New Delhi	.	124	159	66.7	1	3	..	50	21.0	9		
TOTAL	.	826	694	43.7	41	5	47	..	181	11.4	48		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B. R. —Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery & Diarrhoea ; R.D.—Respiratory diseases ; M.D.—Maternal Deaths ; D.R.—Death rate ; I.D.—Infantile deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 13th January, 1951—*contd.*

Town	Mid.-1950 Popn.-Est. (000)	B.	B.R.*	Deaths from —										Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.						
Madhya Pradesh																
Akola	78	68	45.3	...	15	...	9	1	4	3	40	26.7	3			
Amravati	78	50	33.5	6	4	2	...	35	23.4	16			
Bilaspur	44	18	21.4	8	...	3	...	13	15.5	4			
Burhanpur	64	49	39.6	...	2	...	10	1	2	...	23	18.6	...			
Chanda	44	40	47.7	8	...	2	...	21	25.1	10			
Damoh†																
Ellenhpur	34	20	30.2	2	...	3	...	14	21.1	...			
Hinganghat	34	12	18.5	...	1	...	2	...	3	...	11	17.0	5			
Jabalpur	177	74	21.6	...	5	...	11	3	7	...	41	12.0	2			
Khandwa	42	25	30.6	5	16	19.6	...			
Nagpur	306	125	21.2	...	128	...	46	6	26	2	272	46.2	33			
Nagpur Civil Station	95	75	45.7	3	16	...	9	2	4	1	42	25.6	...			
Raipur	82	27	17.1	...	9	...	4	2	15	9.5	...			
Sagar†																
Wardha	37	15	25.0	4	1	...	5	5	6.9	...			
Yestmal	32	19	30.6	9	2	2	1	21	33.8	4			
TOTAL	1,137	617	28.2	3	176	...	133	22	58	11	569	26.0	77			
Madras																
Return not received.																
Orissa																
Berhampur	50	35	36.4	2	4	...	4	3	1	1	16	16.6	3			
Cuttack	84	67	41.5	...	18	...	9	6	2	1	67	41.5	8			
Puri	45	42	48.5	...	4	...	6	4	...	1	31	35.8	7			
TOTAL	179	144	41.6	2	26	...	19	13	3	3	114	33.1	18			
Punjab (I)																
Ambala	53	22	21.7	3	...	7	...	11	10.8	3			
Amritsar	520	199	20.0	11	8	25	4	96	9.6	28			
Batala	56	34	31.7	10	...	3	...	14	18.0	3			
Bhiwani	52	55	55.2	7	...	4	...	17	17.1	7			
Fazilka	38	8	11.0	1	1	5	...	13	17.8	2			
Ferozepore	48	24	26.1	2	3	9	...	16	17.4	4			
Hissar	32	26	42.3	3	1	2	1	9	14.7	3			
Hoshiarpur	44	21	24.9	1	...	2	...	4	4.7	1			
Jullundur	149	80	28.0	4	...	13	...	32	11.2	8			
Karnal	49	33	35.1	5	...	2	...	8	8.5	2			
Ludhiana	158	65	21.7	9	...	4	...	28	9.4	5			
Moga	38	22	30.2	11	...	1	...	16	21.9	5			
Panipat	43	38	46.1	4	1	1	...	6	7.3	4			
Rewari	35	22	32.8	4	...	3	...	9	13.4	4			
Rohtak	61	33	28.2	9	16	13.7	4			
TOTAL	1,374	682	25.8	84	14	81	5	295	11.2	83			

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery & Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D. R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 13th January, 1951—contd.

Town	Mid.-1951 Popu.-Est. (000)	Deaths from :—											D. R.*	I. D.
		B.	B. R.*	O.	S.	P.	F	D. D.	R. D.	M. D.	Total			
Uttar Pradesh														
Agra	360	872	53.8	...	1	5	92	1	122	17.6	24	
Allahabad	332	300	47.1	...	1	27	...	75	11.8	19	
Amroha	67	54	41.8	3	2	8	1	22	17.0	7	
Bahraich	47	21	23.4	6	1	10	11.1	4	
Balrampur	52	8	7.1	4	...	1	...	6	5.1	...	
Banaras	313	367	61.1	45	3	16	2	157	26.2	37	
Barilly	240	199	43.2	12	2	16	...	54	11.7	19	
Budaun	59	36	31.0	7	1	1	...	17	15.0	2	
Dehra Dun	105	59	29.2	...	1	...	3	3	7	...	24	11.9	3	
Etawah	59	37	32.4	5	...	15	...	22	19.3	9	
Faizabad-Ajodhya	58	60	53.6	4	1	5	...	14	12.5	3	
Farrukhabad-Fatehgarh	65	60	48.4	10	2	7	...	37	29.9	10	
Ferosabad	57	52	47.7	6	2	1	...	12	11.0	2	
Ghazipur	35	20	29.6	4	1	4	...	11	16.3	1	
Gorakhpur	123	62	26.2	7	3	7	...	25	10.6	8	
Hapur	48	42	46.0	4	1	6	...	17	18.6	5	
Hardwar Union	72	27	19.6	5	2	5	...	22	15.9	6	
Hathras	57	41	37.3	6	6	13	1	27	24.6	7	
Jaunpur	52	40	39.8	6	...	1	...	15	14.9	...	
Jhansi	91	78	44.5	20	1	2	...	30	17.1	8	
Kanpur	701	216	16.1	...	1	...	101	28	27	4	279	20.7	77	
Khurja	42	21	26.2	3	...	2	...	8	10.0	3	
Koil-Aligarh	146	76	27.2	6	5	9	...	31	11.1	9	
Lucknow	498	342	35.8	22	7	41	...	159	16.6	63	
Mathura	102	72	36.8	8	1	10	1	24	12.3	6	
Meerut	163	126	40.4	5	2	20	...	33	10.6	6	
Mirzapur-Vindhyachal	82	109	69.7	...	1	...	8	1	4	...	25	16.0	8	
Moradabad	189	152	41.9	...	1	...	5	3	34	...	65	17.9	15	
Muzaffarnagar	66	61	47.8	1	1	4	...	11	8.6	3	
Pilibhit	54	28	27.1	5	...	1	...	17	16.5	2	
Rampur	105	19	9.4	2	...	6	...	12	6.0	1	
Sahasganj	171	102	31.1	27	1	7	...	44	13.4	17	
Sambhal	64	68	55.3	6	1	16	...	27	21.9	10	
Shahjahanpur	135	58	22.4	22	...	2	...	32	12.4	5	
Sitapur	88	35	48.3	4	...	2	...	10	13.8	4	
TOTAL	4,848	3,420	36.7	...	6	...	381	86	419	10	1,496	16.0	403	
West Bengal														
Return not received.														
STATES—(Part B)														
Jammu and Kashmir														
Return not received.														
Madhya Bharat														
Greater Gwalior	240	65	14.1	1	26	5.6	...	
Indore	278	144	19.8	...	1	...	23	3	13	...	98	18.3	25	
Ratlam	52	24	24.0	...	2	...	5	1	8	...	21	21.0	...	
Ujjain	109	50	23.9	4	4	4	1	27	12.9	4	
TOTAL	679	283	21.7	...	3	...	33	8	25	1	172	13.2	29	
Mysore State														
Bangalore City	510	523	53.3	6	35	36	...	210	21.4	...	
Kolar Gold Fields	184	25	7.1	2	1	...	14	4.0	...	
Mysore City	195	132	35.2	7	7	61	16.3	...	
TOTAL	889	680	39.8	13	44	37	...	285	16.7	...	
PEPSU														
Malerkotla	36	20	28.9	2	3	4.3	...	
Patiala	85	29	17.7	11	...	4	1	27	16.5	8	
TOTAL	121	49	21.1	13	...	4	1	30	12.9	8	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births; B.R.—Birth rate; O.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 13th January, 1951—*cont.*

Deaths from :—

Town	Mid-1951 Popu Est. (000)	B.	B.R.*	C.	S.	P.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Rajasthan												
Alwar	61	40	34.1	...	2	...	2	10	8.5	...
Bikaner	170	91	27.8	...	1	...	7	...	16	33	10.1	9
Jaipur	204	45	11.5	36	4	17	107	27.3	28
Jodhpur	180	54	17.5	12	...	5	31	10.1	...
Udaipur	74	30	21.1	2	8	4.2	1
TOTAL	689	260	202	...	3	...	59	4	40	192	14.0	38

Saurashtra

Return not received.

Travancore-Cochin

Alleppey	69	100	75.4	2	...	12	9.0	1
Ernakulam	57	54	49.3	2	...	3	...	28	25.5	3
Kottayam	42	24	29.7	1	3	...	1	...	8	9.9	2
Mattancheri	68	40	30.6	4	2	2	...	14	10.7	3
Nagercoil	61	46	39.2	5	2	...	1	13	11.1	...
Quilon	66	69	54.4	1	3	9	...	17	13.4	...
Trichur	70	78	57.9	2	...	1	...	9	6.7	...
Travandrum	162	145	46.5	3	2	2	...	16	5.1	1
TOTAL	595	556	48.6	1	20	9	20	1	117	10.2	12

ARREAR RETURNS**Bihar**

For w/e the 28th October, 1950

Arrah	57	4	3.6	4	1	6	5.5	...
Bettiah	33	22	35.2	3	5	3	1	...	29	36.8	...
Bihar †													
Bhagalpur	102	3	17	8.7	...
Chapra	62	17	14.2	5	1	7	5.9	...
Darbhanga	77	32	21.4	...	3	...	3	12	8.0	...
Dinapur-Nizamat	36	6	8.6	1	1.4	...
Gaya	121	57	24.4	...	2	...	26	5	8	...	61	26.1	...
Jamalpur	48	2	2.2
Jamshedpur	209	76	19.0	1	2	9	2.3	1
Monghyr †													
Muzaffarpur	64	19	15.4	1	3	2.4	...
Patna	191	21	5.7	8	1	14	3.8	...
Purulia	35	3	4.5	1	2	3.0	...
Ranchi	58	12	10.9
TOTAL	1093	271	12.9	3	5	...	57	12	9	1	155	7.4	1

Bihar

For w/e the 23rd December, 1950

Arrah	57	7	6.4	1	2	5	4.6	...
Bettiah	33	9	14.4	...	1	...	7	1	26	41.6	...
Bihar †													
Bhagalpur	102	11	5.0	2	1	5	2.6	...
Chapra	62	19	15.9	2	1	11	9.2	...
Darbhanga	77	21	14.1	3	1	7	4.7	...
Dinapur-Nizamat	36	11	15.8	4	8	11.6	...
Gaya †													
Jamalpur	48	3	3.3	1	1	1.1	...
Jamshedpur	209	81	20.3	2	2	4	...	16	4.0	3
Monghyr †													
Muzaffarpur	64	28	22.7	3	2	16	13.0	...
Patna	191	24	6.5	...	13	...	9	1	2	...	56	15.2	...
Purulia	35	3	4.5	1	2	3.0	...
Ranchi	58	21	19.1	...	1	...	5	18	16.4	...
TOTAL	972	238	11.3	2	15	...	38	11	6	...	171	8.1	3

In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

* Explanation of symbols used :— B. = Births ; B.R. = Birth rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory diseases ; M.D. = Maternal deaths ; D.R. = Death rate ; I.D. = Infantile Deaths ; (included in total deaths)

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 13th January, 1951—*concl.*

Deaths from :—

Town	Mid-1951 Popn-Est. (000)	B.	B. R.*	C.	S.	P.	F.	D. D.	R. D.	M. D.	Total	D.R.*	I.D.	
For w/s the 6th January, 1951.														
Travancore-Cochin														
Alleppey	69	44	33.2	3	...	3	...	17	12.8	1
Ernakulam	57	13	11.9	3	2	2	...	33	30.2	2
Kottayam	42	24	29.7	2	2	8	9.9	...
Mattancheri	68	35	26.8	7	1	4	..	20	15.3	4
Nagercoil	61	25	21.3	3	2	1	1	..	18	15.8	..
Julian	66	50	39.4	1	3	1	9	7.1	2
Trichur	70	45	33.4	1	...	5	3.7	1
Trivandrum	162	308	98.9	3	8	7	2	45	14.4	...
TOTAL	595	544	47.5	3	20	15	21	8	155	13.5	10

For w/s the 23rd December, 1950.

West Bengal

Asansol †	69	9	6.8	2	5	3.8	...
Bally	61	5	4.3	1	...	1	...	4	3.4	...
Bankura	71	37	27.3	...	1	...	2	7	5	...	25	18.4	...
Baranagar	55	32	30.5	1	11	1	1	1	23	21.9	7
Berhampur	147	35	12.4	...	1	...	12	5	2	2	44	15.6	8
Bhatpara	40	10	13.0	1	2	...	6	7.8	...
Budge-Budge	85	20	13.3	3	2	3	...	16	9.9	...
Burdwan	2,991	1,262	22.0	14	282	...	62	90	262	4	1,170	20.4	...
Calcutta	38	28	38.5	2	1	6	8.3	...
Chandani	113	33	12.3	...	1	...	3	2	5	...	16	7.4	...
Garden Reach	64	64	51.8	2	1	...	5	3	21	17.0	3
Hooghly Chinsura	523	238	28.7	8	55	...	12	18	62	2	238	23.7	64
Hov	54	27	26.1	1	6	4	...	22	21.3	...
Kar	39	4	5.3	2	5	6.6	...
Kr	54	18	17.5	1	7	6.8	...
Midnapur	42	28	35.2	3	16	...	8	3	1	...	34	42.7	2
Nabadwip	53	14	13.8	3	1	3	...	10	9.9	2
Naihati	71	35	25.9	4	2	17	12.6	...
Serampur	65	24	19.3	...	6	...	16	24	19.3	2
South Suburban †	90	4	2.3	...	2	3	1.7	...
Titagarh
Tollygunj
TOTAL	4,725	1,927	21.2	28	365	...	147	145	351	9	1,696	18.6	88

For w/s the 30th December, 1950.

Madhya Pradesh

Akola	76	40	27.2	...	2	9	5	...	36	24.5	7
Amravati	76	53	36.2	6	2	5	1	32	21.9	10
Bilaspur	43	24	28.9	4	10	4	2	1	26	43.4	14
Burhanpur	63	58	47.7	...	1	...	7	2	1	...	23	18.9	...
Chanda	43	36	43.7	1	4	1	21	...	27	32.8	...
Damoh	82	15	24.0	11	...	1	...	12	19.2	...
Etawah	34	27	41.1	7	1	3	...	26	39.6	6
Hinganghat	33	18	28.3	...	8	3	...	11	17.3	...
Jabalpur	174	161	47.9	...	2	...	35	...	22	...	59	17.6	3
Khandwa	42	34	42.0	5	1	12	14.8	...
Nagpur	300	147	25.5	...	74	...	59	7	14	1	171	29.7	15
Nagpur Civil Station	83	77	48.0	4	3	...	12	1	5	...	34	21.2	...
Raipur	80	23	14.9	4	13	...	12	...	5	...	43	27.8	...
Sagar	62	22	18.4	2	12	...	3	...	17
Wardha	37	13	18.5	3	1	8	...	12	17.1	2
Yeotmal	32	16	26.2	10	3	2	...	27	44.2	5
TOTAL	1,210	764	32.8	15	103	...	133	32	100	3	578	24.8	53

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal Deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 13th January, 1951—*contd.*

Deaths from :—

Town	Mid-1951 Popo-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<i>For w/e the 6th January, 1951</i>													
Madhya Pradesh													
Akola †													
Amravati	78	59	39.5	12	...	5	2	44	29.5	10
Bilaspur	41	13	15.1	5	3	1	...	18	21.4	4
Burhanpur	64	63	51.0	...	1	...	5	...	3	...	20	16.2	...
Chanda	44	26	31.0	9	1	2	...	21	25.1	...
Damoh	33	23	36.2	6	3	1	...	10	15.7	...
Ellichpur	34	17	25.7	5	...	1	...	11	16.6	2
Hinganghat	34	26	40.2	...	1	...	3	...	3	...	7	10.8	6
Jabalpur	177	218	63.9	24	18	19	...	81	23.8	2
Khandwa	42	20	24.5	5	1	10	12.2	...
Nagpur	306	157	26.7	7	162	2	62	12	18	1	301	51.1	8
Nagpur Civil Station	85	55	34.3	4	4	...	10	...	3	...	26	15.8	1
Raipur	82	20	12.7	...	12	...	8	30	12.7	...
Sagar†													
Wardha	37	20	27.8	...	1	...	2	2	5	6.9	3
Yeotmal	32	29	46.6	10	...	4	1	24	38.6	5
TOTAL	1,092	746	35.5	11	181	2	166	40	60	4	598	28.5	41
Bombay <i>For w/e</i>													
Malegaon	28-12-50	41	53	67.2	10	2	10	..	23	29.2	5
"	6-1-51	"	38	48.2	10	1	2	1	15	19.0	5
Bijapur	30-12-50	58	36	32.3	5	1	9	..	27	24.2	..
Gadag-Betgeri	"	66	25	19.7	4	..	2	3	18	14.2	..
Cambay	6-1-51	38	18	24.6	12	15	20.5	1
Kalyan	"	36	39	56.3	1	1	1	..	4	5.8	..
Madhya Pradesh													
Nagpur	28-12-50	300	207	35.9	..	111	61	9	15	1	389	58.8	22
Nagpur C.S.	"	83	97	60.5	..	8	13	2	5	..	40	24.9	..
Raipur	"	80	30	19.4	..	11	10	31	20.1	..
Akola	"	76	42	28.5	..	3	..	2	4	1	17	11.6	1
"	16-12-50	81	98	66.6	..	7	..	10	1	1	31	21.1	3
"	9-12-50	"	57	38.7	..	5	..	13	1	2	41	27.9	5
"	6-1-51	78	57	38.0	..	18	..	9	2	2	37	24.7	8
Amravati	2-12-50	76	87	59.4	8	3	6	3	51	34.8	10
West Bengal													
Tittagarh	18-2-50	65	21	16.9	18	1	21	16.9	..
"	18-11-50	"	27	29.8	..	1	17	..	1	..	22	17.7	3
Hooghly Chinsura	4-8-50	64	29	23.5	..	1	3	1	2	..	20	16.2	3
Krishnagar	7-10-50	39	3	4.0	1	1.3	..
Kamarhati	21-10-50	54	20	19.3	1	3	2	1	11	10.6	..
"	28-10-50	"	118	114.1	1	..	5	2	1	1	17	16.4	1
"	4-11-50	"	56	54.1	2	4	8	7.7	..
"	11-11-50	"	15	14.5	1	1	4	..	9	8.7	..
"	18-11-50	"	37	35.8	3	2	1	..	16	15.5	..
"	2-12-50	"	44	42.5	6	2	2	..	27	20.1	..
South Suburban	4-11-50	86	26	15.8	..	1	3	2	4	..	26	15.8	9
"	18-11-50	"	24	14.6	1	3	7	..	22	13.4	11
Midnapur	11-11-50	54	4	3.9	4	2	1	1	14	13.6	..
Bhatpara	25-11-50	147	39	13.8	1	..	10	4	44	15.6	3
Madras													
Masulipatanam	25-2-50	61	68	58.0	2	..	1	..	2	..	16	16.3	3
"	4-3-50	"	66	56.3	1	..	2	2	2	..	33	28.1	6
"	11-3-50	"	31	26.4	4	1	1	..	29	24.7	6
"	1-4-50	"	28	23.9	..	1	3	1	3	..	18	15.3	1
"	8-4-50	"	55	46.9	3	2	3	1	19	16.2	4
"	1-7-50	"	59	50.3	..	1	4	2	3	..	33	28.1	6
"	4-9-50	"	43	36.7	3	1	1	..	24	20.5	6
Rajasthan													
Bikaner	30-12-50	166	110	34.4	..	5	3	..	11	..	32	10.0	4

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M. D.—Maternal Deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 13th January, 1951, relate to 125 towns with an estimated population of 16,792 thousands. The total number of towns is 234 and their population is 29,017 thousands. Thus 53% of the total number of towns representing 58% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 11,540 and 5,414 representing birth and death rates of 35.7 and 16.8 per thousand of population respectively.

(A) *States (Parts A & C).*—The data here relate to 103 towns with an estimated population of 13,839 thousands. Information about Assam, Bihar, Madras and West Bengal, could not be included. The total number of towns is 202 and their population is 25,187 thousands. Thus 51% of the total number of towns representing 55% of the total population is covered. The numbers of births and deaths

recorded in these towns were 9,712 and 4,618 representing birth and death rates of 36.5 and 17.4 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) *States (Part B).*—The data here relate to 22 towns with an estimated population of 2,953 thousands. The total number of towns is 32 and their population is 3,830 thousands. Thus 69% of the total number of towns representing 77% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,828 and 796 representing birth and death rates of 32.2 and 14.0 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 13.1.51		Corresponding w/e last year		Corresponding mean during the previous 5 years' period.	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . . .	48.7	21.2	33.9	17.4	36.0	22.4
Bombay . . .	39.2	18.8	35.1	20.0	32.7	22.2
Delhi . . .	43.7	11.4	39.9	17.5	32.8	12.4
Madhya Pradesh . .	28.2	26.0	36.0	19.2	33.8	19.4
Orissa . . .	41.8	33.1	43.1	24.5	39.1	34.0
Punjab (I) . . .	25.8	11.2	27.6	10.6	33.1	15.8
Uttar Pradesh . . .	36.7	16.0	33.0	21.0	33.1	20.0
India (Only States . .	36.5	17.4	34.0	19.2	31.6	19.2
Parts A and C)						

NEW DELHI 3 (INDIA);
The 5th February, 1951. }

S. P. JAIN,
for Registrar General, India

